


HiB

MAKING
BATHROOMS
BEAUTIFUL

**Technical Drawing &
FAQ Data Sheets**



Aura 50


Aura 60

Aura 80

HiB recommend you receive the product before commencing with installation as all sizes and measurements are approximate.
 HiB try and ensure all measurements are as accurate as possible.
 In the interest of continuous product development, HiB reserves the right to alter specification as necessary. E & OE.


Aura 50

Art no. 79560500



Aura 60

Art no. 79560600



Electrical Safety Information


HiB recommends that all electrical bathroom products should only be fitted by a suitably qualified, Part P registered electrician in accordance with current IEE regulations.

- Ensure mains power supply is switched off before starting installation.
- Before drilling, ensure there are no hidden cables or pipes in the wall.

HiB recommend you receive the product before commencing with installation as all sizes and measurements are approximate.
HiB try and ensure all measurements are as accurate as possible.
In the interest of continuous product development, HiB reserves the right to alter specification as necessary. E & OE.

Aura 80

Art no. 79560700



Electrical Safety Information

HiB recommends that all electrical bathroom products should only be fitted by a suitably qualified, Part P registered electrician in accordance with current IEE regulations.


Ensure mains power supply is switched off before starting installation.

Before drilling, ensure there are no hidden cables or pipes in the wall.

Aura

50, 60 & 80

Version No. 17.02.20

	Product	Aura 50, Aura 60 & Aura 80
	Art. No.	Aura 50 79560500, Aura 60 79560600, Aura 80 79560700
	Product Description	LED illuminated mirror.

Question	Answer
Nett weight (kg)	Aura 50: 5.2kg / Aura 60: 6.9kg / Aura 80: 7.1kg
Light Source	LED
Light Source Average Lifespan	Average: 30,000 hr
Total Rated Wattage (W)	Aura 50: 32.8W / Aura 60: 50.4W / Aura 80: 52.9W
Lumens (Lm)	Aura 50: 527lm / Aura 60: 644lm / Aura 80: 878lm
Kelvins (k)	Aura 50,60 & 80: 5000K - 5500K
Is the mirror dimmable?	No
Energy Rating	A
What orientation can the mirror be hung in?	All Aura mirrors can be hung landscape or portrait
Is the heated pad only on when the mirror is illuminated?	Yes
Does the mirror require an earth connection?	No
Can I bypass the sensor so the mirror comes on with the main room light?	No
Is it cool white or warm white illumination?	Cool White
How long is the warranty?	5 years from date of purchase on silvering coating on mirror 2 years from date of purchase on electrical components in the mirror

Electrical Safety Information

HiB recommends that all electrical bathroom products should only be fitted by a suitably qualified, Part P registered electrician in accordance with current IEE regulations.

Ensure mains power supply is switched off before starting installation.

Before drilling, ensure there are no hidden cables or pipes in the wall.

HiB recommend you receive the product before commencing with installation as all sizes and measurements are approximate.

HiB try and ensure all measurements are as accurate as possible.

In the interest of continuous product development, HiB reserves the right to alter specification as necessary. E & OE.